STONEWAYS VPRS

Aluminium alloy

0

0

0 0

0

0

0

10.70 m

3.44 m

9.74 m

3.17 m

2.30 m

1.16 m

0.66 m

Woven

Slab

Rating Certificate

Yacht	First Home	Rig	Bermudian Sloop	
Sail number	GBR7087T	Design	Beneteau First 305	
тсс	0.864	Series / built	1985 / 1986	
No spinnaker TCC	0.831	Default crew limit	8 people	

Performance indicators

Appendages & propeller

Keel type

Keel depth

Keel chord

Rudder type

Rudder depth

Rudder chord

Propeller type

Propeller blades

Mainsail area	19.04 m ²	Sailing weight 4	331	kg
Mizzen area	m^2	Displacement / length	214	(sailing weight)
Upwind headsail area	25.67 m ²	Sail area / wetted surface	2.19	(main + u/w headsail)
D/wind headsail area	51.21 m ²	Sail area / displacement 17	7.10	(main + u/w headsail)

Hull			source
Hull Length	LH	9.35	m O
Bow overhang	ВО	0.70	m O
Stern overhang	so	0.60	m O
Waterline length	LWL	8.05	m C
Stern height	Υ	0.15	m O
Beam	MB	3.25	m O
Topside overhang	TSO	0.30	m O
Freeboard at mast	FBI	1.00	m O
Draught	T	1.75	m P
Empty weight	EW	3600	kg P
Fixed ballast weight	KW	1350	kg P
Moveable ballast		None	

KD

KC

RD

RC

PRN

urce	Rig
0	Spar material
0	Forestay length
0	Foretriangle base
С	Mainsail hoist
0	Mainsail outhaul
0	Main sail
0	Half width
0	Three quarter width
P	Upper width
P	Construction
P	Reefing

المصامح ما المساديي

		Upw
0		
0		
E		
E		
		Dow
0		
	•	

rteeling		Olub		
Upwind headsail				
Luff length	HLU	10.58 m	0	
Luff perpendicular	HLP	4.85 m	0	
Half width	HHW	2.43 m	0	
Three quarter width	HTW	1.21 m	0	
Foot height	HFH	0.30 m	E	
Construction		Woven		
Reefing		Roller		

FL

J

P

Ε

MHW

MTW

MUW

PRD	0.38 m	0
PY	m	
PE	m	
LLY	m	
LPY	m	
	PY PE	PY m PE m LLY m

Downwind hea	adsail			
Т	ack type		Deck	
Pole / tad	k length	STL	3.44 m	0
* Lu	ıff length	SLU	10.50 m	0
* Leech length		SLE	11.30 m	0
* Half width		SHW	5.70 m	0
* Foot width		SFL	5.50 m	0
* OR	Area	SPA	m²	

Measurement source: A=Authenticated; O=Owner measured; S=Sister vessel; P=Published; C=Calculated System data source: D=Database derived; E=Estimated TCC calculated on 17/01/2022 at 10:32:30

IMPORTANT: see notes on page 2 for appropriate use and validity

Z2P1F2N1

1.30 m

0.97 m

1.15 m

0.45 m

2

Fixed

Spade

Certificate notes

1. Correct use of the published ratings

Multiply the elapsed time by the TCC to obtain corrected time.

The TCC is calculated for the declared sail plan, which may or may not include a downwind headsail (spinnaker). For boats without a downwind headsail the words "(no spinnaker)" appear after the TCC.

Boats with a full sailplan also have a "no spinnaker TCC" for use only when racing in a non-spinnaker class.

If spinnaker and non-spinnaker boats race together, non-spinnaker boats will have an advantage on upwind legs, and a disadvantage off the wind.

2. Data quality

The fairest ratings will result from accurate measurement; ratings calculated using a significant amount of estimated and published data are far more likely to be out of line with expectations than those using measured and sister ship data. Owners must notify the rating office of any changes or errors in the rating data.

3. Applicability

This certificate is issued for the sole purpose of correcting elapsed times recorded in yacht races. It is not to be used for any other purpose.

4. Validity

Unless stated to the contrary, or superseded, this certificate is valid until the end of the calendar year in which it was issued. The validity can be checked by referring to the certificates published at: www.vprs.org/ratings.html

Additional information

6. Stability

An SSS base value provides a guide to the stability of a boat but does not guarantee safety or freedom of risk from capsize or sinking. The safety of a boat is the sole responsibility of the skipper who must ensure that the boat is fully found, thoroughly seaworthy, and operated by a crew sufficient in number and experience who are physically fit to face bad weather. The SSS base value does not constitute any warranty as to the seaworthiness of any boat or the safety of any gear and shall not limit the absolute responsibility of the skipper of the boat.

Guard rails fitted Yes

Dayboat No

SSS base value 28 Valid only for data on this certificate.